- 2. (Amended) A logical circuit designing device, comprising:
- a logical circuit storage unit storing a logical circuit;
- a transmission line circuit storage unit storing a transmission line circuit corresponding to the logical circuit stored in the logical circuit storage unit;
- a transmission line circuit editing unit editing the transmission line circuit stored in the transmission line circuit storage unit; and
- a logical circuit modification unit modifying the corresponding logical circuit based on the transmission line circuit edited by the transmission line circuit editing unit, and

wherein the logic circuit is automatically modified when the transmission line circuit is reedited.

- 3. (Amended) A logical circuit designing device, comprising:
- a logical circuit storage unit storing a logical circuit;
- a transmission line circuit generation unit generating a transmission line circuit based on the logical circuit stored in the logical circuit storage unit;
- a transmission line circuit storage unit storing the transmission line circuit generated by the transmission line circuit generation unit;
- a transmission line circuit editing unit editing the transmission line circuit stored in the transmission line circuit storage unit; and
- a logical circuit modification unit modifying the corresponding logical circuit based on the transmission line circuit edited by the transmission line circuit editing unit, and

wherein the logic circuit is automatically modified when the transmission line circuit is re-

- 7. (Amended) A logical circuit designing device, comprising:
- a logical circuit storage unit storing a logical circuit;
- a transmission line circuit generation unit generating a transmission line circuit based on the logical circuit stored in the logical circuit storage unit;
- a transmission line circuit storage unit storing the transmission line circuit generated by the transmission line circuit generation unit; and
- a deletion designation table storing deletion information of a passive component composing a logical circuit, and

wherein said transmission line circuit generation unit generates a transmission line circuit







by deleting the passive component based on the passive component deletion information stored in the deletion designation table.

- 11. (Amended) A logical circuit designing device, comprising:
- a logical circuit storage unit storing a logical circuit;
- a transmission line circuit generation unit generating a transmission line circuit based on the logical circuit stored in the logical circuit storage unit;
- a transmission line circuit storage unit storing the transmission line circuit generated by the transmission line circuit generation unit;
- a transmission line circuit editing unit editing the transmission line circuit stored in the transmission line circuit storage unit;
- a logical circuit modification unit modifying the corresponding logical circuit based on the transmission line circuit edited by the transmission line circuit editing unit; and
- a deletion designation table storing deletion information of a passive component composing a logical circuit, and wherein said transmission line circuit generation unit generates a transmission line circuit by deleting the passive component based on the passive component deletion information stored in the deletion designation table.
 - 17. (Amended) A logical circuit designing method, comprising:

generating transmission line circuit data suitable for transmission line circuit analysis based on a logical circuit stored in a logical circuit database; and

storing the generated transmission line circuit data in a transmission line circuit database.

18. (Amended) A logical circuit designing method, comprising:

editing the transmission line circuit stored in the transmission line circuit database; and modifying a logical circuit corresponding to the transmission line circuit based on the edited transmission line circuit, and

wherein the logic circuit is automatically modified when the transmission line circuit is reedited.

(Amended) A logical circuit designing method, comprising:
generating a transmission line circuit based on a logical circuit stored in a logical circuit

database;

storing the generated transmission line circuit in a transmission line circuit database editing the transmission line circuit stored in the transmission line circuit database; and modifying the generated logical circuit based on the edited transmission line circuit, and wherein the logic circuit is automatically modified when the transmission line circuit is re-

edited

23. (Amended) A logical circuit designing method, comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database; and

storing the generated transmission line circuit in a transmission line circuit database, and wherein the transmission line circuit is generated by deleting a passive component based on passive component deletion information stored in a deletion designation table storing deletion information of passive components composing a logical circuit, in said generating.

27. (Amended) A logical circuit designing method, comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database:

storing the generated transmission line circuit in a transmission line circuit database editing the transmission line circuit stored in the transmission line circuit database; and modifying the generated logical circuit based on the edited transmission line circuit, and wherein the transmission line circuit is generated by deleting a passive component based on deletion information of the passive component stored in a deletion designation table storing deletion information of passive components composing a logical circuit, in said generating.

33. (Amended) A computer-readable storage medium which stores a logical circuit designing program for enabling a computer, comprising:

generating transmission line circuit data suitable for transmission line circuit analysis based on a logical circuit stored in a logical circuit database; and

storing the generated transmission line circuit data in a transmission line circuit database.

34. (Amended) A computer-readable storage medium which stores a logical circuit

designing program for enabling a computer, comprising:

editing the transmission line circuit stored in the transmission line circuit database; and modifying a logical circuit corresponding to the transmission line circuit based on the edited transmission line circuit, and

wherein the logic circuit is automatically modified when the transmission line circuit is reedited.

35. (Amended) A computer-readable storage medium which stores a logical circuit designing program for enabling a computer, comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database;

storing the generated transmission line circuit in a transmission line circuit database; editing the transmission line circuit stored in the transmission line circuit database; and modifying a logical circuit corresponding to the transmission line circuit based on the edited transmission line circuit, and

wherein the logic circuit is automatically modified when the transmission line circuit is reedited.

39. (Amended) A computer-readable storage medium which stores a logical circuit designing program for enabling a computer, comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database; and

storing the generated transmission line circuit in a transmission line circuit database, and wherein the transmission line circuit is generated by deleting a passive component based on passive component addition information stored in an addition designation table storing deletion information of passive components composing a logical circuit, in said generating.

43. (Amended) A computer-readable storage medium which stores a logical circuit designing program for enabling a computer, comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database;

storing the generated transmission line circuit in a transmission line circuit database; editing the transmission line circuit stored in the transmission line circuit database; and

Paid

Y&

انگا انگون modifying a logical circuit corresponding to the transmission line circuit based on the edited transmission line circuit, and

wherein the transmission line circuit is generated by deleting a passive component based on passive component addition information stored in an addition designation table storing deletion information of passive components composing a logical circuit, in said generating

49. (Amended) A logical circuit designing program for enabling a computer, comprising:

generating transmission line circuit data suitable for transmission line circuit analysis based on a logical circuit stored in a logical circuit database; and

storing the generated transmission line circuit data in a transmission line circuit database.

50. (Amended) A logical circuit designing program for enabling a computer, comprising:

editing the transmission line circuit stored in the transmission line circuit database; and modifying a logical circuit corresponding to the transmission line circuit based on the edited transmission line circuit, and

wherein the logic circuit is automatically modified when the transmission line circuit is reedited.

51. (Amended) A logical circuit designing program for enabling a computer, comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database;

storing the generated transmission line circuit in a transmission line circuit database; editing the transmission line circuit stored in the transmission line circuit database; and modifying a logical circuit corresponding to the transmission line circuit based on the edited transmission line circuit, and

wherein the logic circuit is automatically modified when the transmission line circuit is reedited.





comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database; and

storing the generated transmission line circuit in a transmission line circuit database, and wherein the transmission line circuit is generated by deleting a passive component based on passive component addition information stored in an addition designation table storing deletion information of passive components composing a logical circuit, in said generating

59. (Amended) A logical circuit designing program for enabling a computer, comprising:

generating a transmission line circuit based on a logical circuit stored in a logical circuit database:

storing the generated transmission line circuit in a transmission line circuit database; editing the transmission line circuit stored in the transmission line circuit database; and modifying a logical circuit corresponding to the transmission line circuit based on the edited transmission line circuit, and

wherein the transmission line circuit is generated by deleting a passive component based on passive component addition information stored in an addition designation table storing deletion information of passive components composing a logical circuit, in said generating.

65. (Amended) A logical circuit designing device, comprising:

logical circuit storage means for storing a logical circuit;

transmission line circuit generation means for generating transmission line circuit data suitable for transmission line circuit analysis based on the logical circuit stored in the logical circuit storage means; and

transmission line circuit storage means for storing the transmission line circuit data generated by the transmission line circuit generation means.

REMARKS

In the Office Action mailed February 27, 2003 the Examiner noted that claims 1-65 were., pending, objected to claims 7, 11, 15, 23, 27, 31, 39, 43, 47, 55, 59, and 63 and rejected claims 1-6, 8-10, 12-14, 16-22, 24-26, 28-30, 32-38, 40-42, 44-46, 48-54, 56-58, 60-62, 64 and 65. Claims 1, 2, 3, 7, 11, 17-19, 23, 27, 33-35, 39, 43, 49-51, 55, 59 and 65 have been amended,



